

Quadra Kit

KITS SOLUTIONS FOR DOOR ENTRY SYSTEMS



Up to 4 users



**Even remotely
with Comelit APP**



AxPro
AxessProduktur

Comelit
Passion. Technology. Design.



DESIGN PLUS





QUADRA WITH MECHANICAL BUTTONS. THE COMPACT AND FUNCTIONAL SOLUTION.

Quadra series wall-mounted external video entry unit with **mechanical buttons**. Die-cast aluminium faceplate, wide-angle colour camera and a single LED for nighttime lighting. Indicator LED for call sent, lock-release activated, audio activated and system busy.

Adjustment of speaker volume and audio balance. Power supply from bus line. External unit dimensions: 95x195x28 mm.



*** Also available in ViP version.*






THE NEW MECHANICAL BUTTON.



SINGLE-FAMILY INSTALLATIONS


By purchasing the kit you are immediately ready for installation.



1

TWO-FAMILY INSTALLATIONS


Buy the kit and 1 additional internal unit.




1
2

FOUR-FAMILY INSTALLATIONS

Buy the kit and 2 or 3 additional internal units for multi-family installations.



1
2
3
4



195 mm
95 mm 28 mm



Scan here and print your name labels.





- Audio/video external unit
- Die-cast aluminium cover
- Mechanical call buttons
- Surface-mounted installation
- Dimensions 95x195x23 mm
- Colour video camera with wide viewing angle
- IK08 and IP54 protection rating
- 4 indicator LEDs for call sent, door open, audio active, system busy
- White LED for illumination
- Nameplate holder in versions with 1/2/4 buttons
- High performance loudspeaker

4893M	QUADRA ENTRANCE PANEL W/ BUTTONS. 2-WIRE
4793MA	ALUMINIUM FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MB	BLACK FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MC	CORTEN FACEPLATE FOR QUADRA ENTRANCE PANEL





THE INTERNAL UNITS, TECHNOLOGY AND DESIGN IN THE HOME.

Comelit door entry monitors are design-conscious products created as the ideal decorative accessory for your home. But there is more than style to consider. They actually offer an unparalleled level of technology, with functions and features designed to meet all requirements.



D E S I G N
M I L A N O



reddot design award



DESIGN PLUS

Merlion Awards





INDEX

10 MINI HANDSFREE WI-FI

12 MINI HANDSFREE

14 MAXI

16 ICONA

18 MINI






FACE RECOGNITION.

As well as forwarding calls to smartphones in 2-wire systems without having to alter the system, from today the 2-wire Mini Wi-Fi door entry monitor is being updated with a face recognition function for opening doors or gates without using a key.

- Gates or doors opened with face recognition.
- Configuration and management via Comelit APP to add or remove users authorised to use the function.
- Push notifications received by Comelit APP users, containing the name of the recognised user.
- Free function available on all Mini Wi-Fi monitors installed and connected to the Internet.



THE ONLY ⚡
WI-FI MONITOR
THAT DOESN'T REQUIRE
AN ADDITIONAL
POWER SUPPLY.

Mini Handsfree Wi-Fi.

- 4.3" 16:9 monitor connected with integrated Wi-Fi
- It replaces the old 2-wire door entry monitor without requiring additional wiring
- Receive and answer calls from video door entry on smartphone / tablet
- Outputs connected to the external unit (lights, gates...) can be activated directly from the app
- Face recognition function with automatic door opening
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in white version

6741W MINI HANDSFREE WIFI MONITOR, S2

6741W/BM MINI HANDSFREE WIFI MONITOR WITH INDUCTION LOOP, S2





Comelit APP

Available on the
App Store

Available on
Google play





Mini Handsfree.

- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in white version

6721W MINI HANDSFREE MONITOR, S2

6721W/BM MINI HANDSFREE MONITOR WITH INDUCTION LOOP, S2









Maxi.

- Full-duplex hands-free door entry monitor with 7" colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire
- Dimensions: 223x124x25 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in white version

6801W 7-INCH MAXI MONITOR, S2

6801W/BM 7-INCH MAXI MONITOR WITH INDUCTION LOOP, S2







Icona.

- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire
- Dimensions: 142,5x147x23 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in white version

6601W ICONA MONITOR, S2

6601W/BM ICONA MONITOR WITH INDUCTION LOOP, S2





Mini.

- Full-duplex handset door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire
- Dimensions: 175x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in white version

6701W MINI MONITOR, S2

6701W/BM MINI MONITOR WITH INDUCTION LOOP, S2



2-wire Video Quadra Kit

Up to 4 users.



Art. 8451V QUADRA KIT MINI HANDSFREE WI-FI

PATENT
PENDING

- 1x Quadra series surface-mounted external art. 4893M
- 1x power supply art. 1209
- 1x Mini hands-free Wi-Fi colour monitor art. 6741W
- 1x line closure terminal Art. 1216
- 1x distribution terminal Art. 1214/2C

2 WIRE	100°	UP TO 4 USERS	IP54	IK08
WI-FI	4.3"	FACE RECOGNITION	INTERCOM	

8451V/BM



Comelit APP





i All Kits with Quadra entrance panel can be expanded up to 4 users simply by purchasing the required internal units.


Art. 8461X QUADRA KIT MAXI

- 1x Quadra series surface-mounted external Art. 4893M
- 1x power supply unit Art. 1209
- 1x Maxi series hands-free colour monitor Art. 6801W
- 1x flush-mounted box Art. 6817
- 1x wall bracket Art. 6820
- 1x distribution terminal Art. 1214/2C
- 1x line closure terminal Art. 1216




Art. 8461I QUADRA KIT ICONA

- 1x Quadra series surface-mounted external Art. 4893M
- 1x power supply unit Art. 1209
- 1x Icona series hands-free colour monitor Art. 6601W
- 1x flush-mounted box Art. 6117
- 1x wall bracket Art. 6620
- 1x distribution terminal Art. 1214/2C
- 1x line closure terminal Art. 1216




Art. 8461V QUADRA KIT MINI HANDSFREE

- 1x Quadra series surface-mounted external Art. 4893M
- 1x power supply unit Art. 1209
- 1x Mini series hands-free colour monitor Art. 6721W
- 1x distribution terminal Art. 1214/2C
- 1x line closure terminal Art. 1216



Art. 8461M QUADRA KIT MINI

- 1x Quadra series surface-mounted external Art. 4893M
- 1x power supply unit Art. 1209
- 1x Mini series colour monitor with handset Art. 6701W
- 1x distribution terminal Art. 1214/2C
- 1x line closure terminal Art. 1216



ACCESSORIES

QUADRA



4791A

ADAPTER PLATE FOR QUADRA

Plate allowing installation of the Quadra external unit in 1- and 2-module flush-mounted boxes by Comelit, Bticino and Urmet. Dimensions 137 x 236 mm.



4792

RAIN SHIELD FOR QUADRA ENTRANCE PANEL

Rain shield in painted aluminum for Quadra entrance panel, grey colour. Dimensions: 99x210x41 mm.



4793MB

BLACK FACEPLATE FOR QUADRA W/BUTTONS

Black faceplate for Quadra entrance panel with mechanical buttons

4793MC

CORTEN FACEPLATE FOR QUADRA W/BUTTONS

Corten colour faceplate for Quadra entrance panel with mechanical buttons.

4793MA

ALUMINIUM FACEPLATE FOR QUADRA W/BUTTONS

Aluminium colour faceplate for Quadra entrance panel with mechanical buttons.

1217A

LABEL SHEETS FOR QUADRA W/BUTTONS

The kit contains 10 sheets of adhesive labels for nameplates.



1235A

NAMEPLATE LABEL PRINTING SOFTWARE

Dedicated software for the creation and printing of nameplate and information labels for Icall, Vandalcom, Quadra and 316 Analog entrance panels. Requires use of adhesive labels art.1217, 1218, 1219 or art.1220. This software is available to download free of charge from the Comelit website.

MAXI



6817

FLUSH-MOUNTED BOX FOR MAXI MONITOR

Flush-mounted box in black ABS. Dimensions: 212x115x50mm.



6820

SBC & VIP MAXI MONITOR WALL SUPPORT

Wall support for Maxi monitor. White. Dimensions: 216x117x16 mm.



6812

DESK BASE FOR MAXI MONITOR

Desk base for desktop conversion of Maxi monitor. Dimensions: 105x75x110 mm.

ICONA



6117

ICONA FLUSH BACKBOX

Flush mounted box for Icona monitors. Dimensions: 132x132x50mm.



6617

FLUSH-MOUNTED BOX FOR PLASTERBOARD. ICONA

Flush-mount box allowing mounting of Icona series monitors on plasterboard and/or cement walls. Dimensions: 129x129x50 mm.



6118

ICONA CLIPS FOR DRY LINED WALLS

Installation kit for plasterboard walls.



6620 **INSTALLATION KIT FOR PLASTERBOARD WALLS**
Wall bracket for Icona monitor. Colour: White. Dimensions: 137X142X12.5 mm.



6612A **DESK BASE FOR ICONA MONITOR**
Desk base installation accessory for Icona monitor. Dimensions: 105x70x110 mm.

MINI



6710 **BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR**
Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm.



6711W **ADAPTER PLAQUE FOR MINI MONITOR W/ HANDSET. WHITE.**
Mounting accessory for Mini Monitor when replacing Magis or Genius door entry monitors. Complete with backplate art. 6710 and distribution terminal art. 1214/2C. White. Dimensions: 300x260x4 mm.

6711WS **MINI HANDSET SMALL ADAPTER PLAQUE**
Mounting accessory for Mini Monitor when replacing Magis or Genius door entry monitors. White. Dimensions: 230x220x4 mm.



6733W **ADDITIONAL BUTTONS KIT FOR MINI MONITOR, WHITE**
Accessory for transforming MINI monitors Art 6700W-/BM and 6701W-/BM into versions with 8 buttons. Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



6719W **MINI VIDEO SBT EXTERNAL CABLE ACCESS**
Wall support bracket for Mini monitor with handset allowing thru-routing of external cables. Dimensions: 164x149.60x19mm



6712A **DESK BASE FOR MINI SBC MONITOR WITH HANDSET**
Desk base installation accessory for Mini monitor with handset in Simplebus Top system. Dimensions: 105x70x110 mm.

MINI HANDSFREE



6710 **BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR**
Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm.



6734W **ADD. BUTTONS KIT HANDSFREE MINI MONITOR, WHITE**
Accessory for conversion of the monitors of the Mini series Art 6721W and 6721W/BM into 8-button versions. Includes an 8-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing.



6720 **BRACKET FOR ROUTING EXT. CABLES. HF MINI**
Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables. Dimensions: 106.3x149.60x19mm.



6732A **DESK BASE FOR HANDSFREE MINI MONITOR. SBTOP**
Desk base installation accessory for hands-free Mini monitor in Simplebus Top system. Dimensions: 105x70x110 mm.

COMMON ACCESSORIES



1209

2-WIRE VIDEO KIT POWER SUPPLY UNIT

33 VDC power supply unit with overload and short circuit protection devices. It has two separate continuous outputs: one for external unit and one for the monitor power supply. Input voltage 110-240 VAC. Dimensions: 106x62x89 mm (6 DIN modules).



1229A

ADDITIONAL RINGTONE ACCESSORY FOR SIMPLEBUS2 SYSTEM

Wall-mounted accessory for additional ringtone for direct connection to 2-wire bus. Allows ringtone selection and adjustment of ringtone volume with privacy function, equipped with dip switches for user code programming, floor door call input terminals and call repeat. Fitted with distribution terminal art. 1214/2C. Dimensions: 125x95x24 mm.



1256

ACTUATOR RELAY

Intelligent Simplebus device for controlling a 12-24 V relay contact. If used in mixed audio/video systems, the actuator relay needs a video filter to be purchased separately. Power supply: 12V AC or 20V DC. Dimensions: 66x85x35 mm (4 DIN modules).



1404

DIGITAL SWITCHING DEVICE. 2-WIRE SYSTEM

Audio/video switching module for Simplebus Top 2-wire digital systems. To be used in systems with more than one entrance. Power supply from bus line. Dimensions: 60x85x35 mm (4 DIN modules).



1405

DIGITAL EXCHANGE 2 QUADRA INPUTS. SBTOP

Audio/video switching module for audio/video kit systems. For use in systems with a maximum of 2 entrances with Quadra series external unit. Power supply from bus line. Dimensions: 35x90x58mm (2 DIN modules).



1409

ACCESSORY FOR REMOTE COLOUR CAMERAS, 2-WIRE SYSTEM

Remote camera module for Simplebus Top 2-wire digital systems. Allows management of up to 3 colour cameras in cyclical sequence from door entry monitors using a dedicated button. 12 Vac or 20 Vdc power supply. Dimensions: 60x85x35 mm (4 DIN modules).



**Also available
in ViP version.**

**Answer
anywhere**



Art. 8561V

**QUADRA KIT VIP
MINI HANDSFREE WI-FI**

- 1x Quadra series surface-mounted external Art. 4899M
- 1x power supply unit Art. 1441B
- 1x Mini hands-free Wi-Fi colour monitor Art. 6742W
- 1x floor branch Art. 1440



VIP	100°	UP TO 4 USERS	IK08	IP54
	WI-FI	4.3"		INTERCOM

Art. 8561X


**QUADRA KIT
MAXI**

- 1x Quadra series surface-mounted external Art. 4899M
- 1x power supply unit Art. 1441B
- 1x Maxi series hands-free colour monitor Art. 6842W
- 1x flush-mounted box Art. 6817
- 1x wall bracket Art. 6820
- 1x floor branch Art. 1440




VIP	100°	UP TO 4 USERS	IP54	IK08
	16:9	7"		INTERCOM


BASIC LAYOUT



ADDITIONAL FUNCTIONS LAYOUT




SYSTEM EXPANSION LAYOUT






BASIC LAYOUT (MINI HANDSFREE WI-FI ONLY)



MULTI-USER LAYOUT (MINI HANDSFREE WI-FI ONLY)



www.comelitgroup.com



www.axpro.se

