



Icona

A SYMBOL OF STYLE AND TECHNOLOGY

AxPro
AxessProdukte

 **Comelit**[®]
Passion. Technology. Design.

An Icon of style and technology.
Simple door entry monitor and home
automation systems with exclusive design.



Le Corbusier table, 1929.



Comelit's new door entry monitor and home automation supervisor.

Inspired by the masters of minimalism, Icona takes away everything superfluous and adds innovative control functions. Total linearity and minimalist styling make it the perfect match for any architectural or interior design context.

ICONA DOOR
ENTRY MONITOR



ICONA MANAGER
HOME AUTOMATION
SUPERVISOR



Icona

Icon of design.

Icona features a clean and simple design, without any superfluous details. Gloss surface in transparent, scratch-resistant polycarbonate and edges with a brushed, matt metal finish. Formal minimalism down to the last millimetre, housing complex technology inside. Icona is available in flush-mounted, surface-mounted and desk base versions.



VERSION WITH DESK BASE

FLUSH-MOUNTED VERSION

SURFACE-MOUNTED VERSION





Comelit

Icona




Icon of technology.


Icona and Icona Manager feature Sensitive Touch technology with white back-lit keys. For easier, more intuitive use, none of the second-level functions are normally visible. To enable them, simply swipe your finger across the control screen. Icona Manager also features a capacitive Touch Screen (like today's smartphones).




SATIN-FINISH,
CONCAVE FORM,
PROMOTES
HIGH ACOUSTIC
FIDELITY




AUDIO KEY AND LOCK-
RELEASE KEY ALWAYS
VISIBLE



SWIPE FUNCTION: THE
ICONS APPEAR ON THE
CONTROL SCREEN WHEN
YOU SWIPE A FINGER
ACROSS IT



*



CAPACITIVE 4.3" TOUCH SCREEN WITH GESTURE RECOGNITION
(* FOR ICONA MANAGER ONLY)

Icona

DOOR ENTRY MONITOR VERSION

16:9 4.3" SCREEN
WIDE TOUCH SCREEN

LOCK-RELEASE

AUDIO KEY

PROGRAMMABLE KEYS


SPEAKER




Comelit

SELF-IGNITION
(PROGRAMMABLE KEY)

PRIVACY/DOCTOR



SWIPE TECHNOLOGY



MICROPHONE

AUDIO VOLUME

RINGTONE VOLUME

ADJUSTMENT KEYS

COLOUR AND BRIGHTNESS
ADJUSTMENT KEYS

SWIPE FUNCTION

Icona


MANAGER VERSION - HOME AUTOMATION SUPERVISOR

As well as being a colour door entry monitor, Icona Manager offers a full range of home automation functions for controlling domestic installations and devices, from heating to alarm systems. The capacitive technology allows effective management by means of gestures.


WITH ICONA MANAGER, YOU HAVE EVERYTHING UNDER CONTROL:

 LIGHTS MANAGEMENT	 OPENING AUTOMATION	 CLIMATE CONTROL
 SCENARIOS	 CONSUMPTION MANAGEMENT	 ANTI-INTRUSION
 LOAD MANAGEMENT	 IRRIGATION	 DOOR ENTRY MONITORS
 VIDEO SURVEILLANCE	 AUTOMATIONS	 MULTIROOM MUSIC






SWIPE TECHNOLOGY



CAPACITIVE TOUCH SCREEN



OTHER FEATURES:

BUILT-IN TEMPERATURE SENSOR

CONCEALED SIDE MICRO SD

CUSTOMISABLE MELODIES, VIDEO MEMORY,
MESSAGES, CONSUMPTION ARCHIVE

**CONNECTION VIA LAN NETWORK FOR LIVE VIEWING OF CAMERAS IN
THE ANTI-INTRUSION AND DOOR ENTRY MONITOR SYSTEM**

3 PROGRAMMABLE INPUTS

FUNCTION FOR SENDING EMAILS

ABOUT DOOR ENTRY MONITOR, HOME AUTOMATION AND ANTI-
INTRUSION SYSTEM EVENTS

**DISPLAY OF NUMBER OF ITEMS
IN OPERATION FOR EACH ROOM**

**4 FAVOURITES TABS THAT CAN BE SELECTED FROM THE OPTIONS
GIVEN ON THE HOMEPAGE**

CUSTOMISATION OF MELODIES

YOU CAN CUSTOMISE THE CALL MELODY WITH A
POLYPHONIC RINGTONE FROM THE SELECTION OF RINGTONES
AVAILABLE IN THE NAMES LIST
OR WITH ONE IMPORTED INTO THE SUPERVISOR BY MEANS OF A
MINI
SD CARD.

VIDEO MEMORY

YOU CAN ENABLE (OR DISABLE) THE VIDEO MEMORY FUNCTION

MESSAGES


YOU CAN RECEIVE MESSAGES OR ALERTS FROM THE SWITCHBOARD.
THE ARRIVAL OF A NEW MESSAGE IS INDICATED VISUALLY BY LEDS.

DOOR OPEN ALERT

Icona

MANAGER VERSION - HOME AUTOMATION SUPERVISOR


"WIDGET" AND FAVOURITES MENU CUSTOMISATION SCREEN




SCREEN FOR VIEWING EXTERNAL UNIT CAMERAS AND ANTI-INTRUSION SYSTEM CAMERAS




CONSUMPTION GRAPH SCREEN




ANTI-INTRUSION SYSTEM SCREEN



CLIMATE CONTROL SCREEN



RGB SCREEN





WITH THE MULTIROOM MUSIC FUNCTION, YOU CAN:

- Manage the system by selecting the album, track or radio streaming for each zone, adjust the volume and select random or repeat play modes.
- Synchronise multiple audio zones for playing the same source throughout the house
- Create a scenario by enabling each audio zone with a different source and volume
- Import, manage and listen to Spotify playlists (only with a subscription to Spotify Premium)






Spotify



RADIO STREAMING

Integration diagram



	6601W	<p>ICONA SERIES HAND-FREE COLOUR MONITOR. SBTOP SYSTEM</p> <p>Flush-mounted (on box Art. 6117) or wall-mounted (with bracket Art. 6620) colour monitor with 4,3" 16/9 screen, hands-free full-duplex audio and touch sensitive controls. Allows adjustment of brightness level, contrast, audio volume and ringtone volume. Ringtones can be customised by selecting from the various melodies provided. Fitted as standard with a key button, enable/disable audio button with corresponding indicator LEDs and a further 7 programmable buttons for self-ignition, privacy service and other programmable functions. It is normally used for floor door call and call repetition management, and comes complete with 2 x 8-position DIP SWITCHES for user code programming and button programming. Equipped with riser distribution terminal Art. 1214/2C. The monitor can only be used in 2-wire SimplebusTop Colour systems. Dimensions 142.5x145,5x12 mm.</p>
	6602W	<p>ICONA SERIES HANDS-FREE COLOUR MONITOR. VIP SYSTEM</p> <p>Flush-mounted (on box Art. 6117) or wall-mounted (with bracket Art. 6620) colour monitor with 4.3" 16/9 touch screen and hands-free full-duplex audio. Allows adjustment of brightness level, contrast, audio volume and ringtone volume. Equipped as standard with sensitive touch controls for lock-release, audio activation, self-ignition, privacy service and 3 other controls for programmable functions, and door open and new message indicator LEDs. Manages floor door calls and call repetition as standard, includes alarm and panic inputs and micro SD slot. You can customise the ringtone and video memory function with an absent message. Can also be used on standard POE systems. Dimensions 142.5x145,5x12 mm.</p>
	20003310W	<p>ICONA MANAGER VIP 4.3" TOUCH SCREEN SUPERVISOR WHITE</p> <p>Icona Manager 4.3" Touch Screen with built-in ViP door entry monitor system, management of SimpleHome home automation system and management of SimpleSafe anti-intrusion system. 4.3" capacitive touch screen display with gesture recognition for facilitated navigation within the menu. Equipped as standard with Sensitive Touch controls for lock-release, audio activation (configurable with swipe function), self-ignition, privacy service and 3 other controls for programmable functions, and door open and new message indicator LEDs. Manages floor door calls and call repetition as standard, includes alarm and panic inputs and micro SD slot. You can customise the ringtone and video memory function with an absent message. Built-in temperature sensor. Power supply from 12-24V DC communication BUS. The supervisor enables you to control lights, roller shutters, automated openings, zone-based temperature control with customised scheduling, irrigation, display of electricity, water and gas consumption, disconnection of electrical loads, management and control of anti-intrusion system, camera viewing via the IP network. Colour: white. Dimensions 142.5x145.5x12 mm. Protrusion from wall with flush-mounted box (art. 6117) 25 mm. Max input power 6W.</p>
	20003320W	<p>ICONA MANAGER SBT 4.3" TOUCH SCREEN SUPERVISOR WHITE.</p> <p>Icona Manager 4.3" Touch Screen with built-in SBTop door entry monitor system, management of SimpleHome home automation system and management of SimpleSafe anti-intrusion system. 4.3" capacitive touch screen display with gesture recognition for facilitated navigation within the menu.. Equipped as standard with Sensitive Touch controls for lock-release, audio activation (configurable with swipe function), self-ignition, privacy service and 3 other controls for programmable functions, and door open and new message indicator LEDs. Manages floor door calls and call repetition as standard, includes alarm and panic inputs and micro SD slot. You can customise the ringtone and video memory function with an absent message. Built-in temperature sensor. Power supply from 12-24V DC communication BUS. The supervisor enables you to control lights, roller shutters, automated openings, zone-based temperature control with customised scheduling, irrigation, display of electricity, water and gas consumption, disconnection of electrical loads, management and control of anti-intrusion system, camera viewing. Colour: white. Dimensions 142.5x145.5x12 mm. Protrusion from wall with flush-mounted box (art. 6117) 25 mm Max input power 6W.</p>
	6612	<p>DESK BASE FOR ICONA MONITOR</p> <p>Angle-adjustable desk base, for desk conversion of the Icona monitor. Complete with 1x2 m cable fitted with RJ45 connector for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 145x190x120 mm.</p>
	6620	<p>WALL BRACKET FOR ICONA MONITOR</p> <p>Wall bracket for Icona monitor. Colour: White. Dimensions: 137x142x12.5 mm.</p>



www.axpro.se



www.comelitgroup.com

