

THE MINI SERIES IS COMPLETED WITH THE NEW IP VERSIONS










MINI Handset and Handsfree. Essential design at its most refined.














Installation system

The VIP system is the new IP video entry system combining powerful performance with ease of installation. The ViP network, based on Ethernet cable connection, can serve an unlimited number of users in simultaneous conversations and with no distance restrictions. The ViP System can be used to create a dedicated, proprietary network or it can be integrated into an existing LAN, creating a video entry system that runs in parallel with other existing systems.

Main functions available on the User Menu:

- · Directories for
 - intercom calls
 - camera image display
 - operation of actuators to control lights, open gates, etc.
 - control status of doors subject to surveillance
- Answering Machine
- · Call divert by time or when busy
- Language Selection
- · Cleaning lock
- · Button audible feedback volume adjustment
- Backlighting level adjustment
- · Ringtone melody settings



Mini WIRES



Simple lines. Ultra-thin. MINI: nothing more. Nothing less.







The Mini series has a clean, essential design that nevertheless offers full range of functions. Both the hands-free version with full-duplex audio and the handset version feature a 4.3" 16/9 colour screen with 480x272 resolution. They both offer colour, contrast and ringtone volume control, in addition to melody customisation. They are equipped as standard with 4 soft-touch buttons for lock-release, self-ignition, switchboard call and privacy function management, and with door status indicator LED.



ADJUSTABLE CONTRAST AND BRIGHTNESS

RINGTONE VOLUME CONTROL



Installation system

2-Wiredoor entry system that connects, via a single riser, the external unit with the internal units, which can be at a distance of up to 1200 metres (can integrate 16 monitors in parallel with the same address). The ideal solution for small houses, standalone apartment blocks or residential complexes.




3 4 5

ADDITIONAL BUTTONS KIT Art. 6734W

WITH THE
ADDITIONAL
BUTTONS KIT,
MINI HANDSFREE
MONITORS BECOMES
"FULL OPTION"

CONTRAST AND BRIGHTNESS ADJUSTMENT



FEATURES AND FUNCTIONS

				2 .		
	6700W	6701B	6701W	6721W	6702W *	6722W *
GENERAL FEATURES						
System	SBT (2 Wires)	SBT (2 Wires)	SBT (2 Wires)	SBT (2 Wires)	\\	/iP
Audio or Audio/Video systems	Audio/Video					
Installation Handset/Hands-free	Wall or Desk mount (with relative accessory) Handset Handfree Handset Handfree					
Induction loop		паниъец	V		панизет	панинее
Display size	Yes 4,3" 16/9					
Resolution (pixels)	4,5 10/9 480x272pixel					
Video	B/W Colours					
Colour	White	Black		Wh	ite	
Buttons with cap sense technology			Y	es		
Number of standard buttons	4	8	4	5	4	8
Number of additional buttons	4	Yes	4	3	3	-
LED indicator lights	2	2	2	3	2	4
LED backlight colour	White					
FUNCTIONS Actuator control			V	es		
Self-ignition control				es es		
Switchboard call						
Panic call	Yes Yes					
General intercom call	Yes					
Selective intercom call	Yes					
Multiple address call			Y	es		
Group address call	-	-	-	-		'es
Call divert	-	-	-	-	Y	'es
Privacy	Yes					
Doctor	Yes					
Floor door call Electronic ringtone	Yes					
Customisable ringtone	Yes Yes					
Energy consumption display	_	_	- 1	-	V	'es
Intrusion and technical alarm management	-	-	-	-	Yes	
Text message reception	-	-	-	-		es
Image reception	-	-	-	-	Y	es .
ADJUSTABLE Speaker volume			V	es		
Microphone volume		Ye			_	_
Ringtone volume		Te		es	-	
Contrast		Ye			-	-
Brightness		Ye			-	-
Display backlighting	-	-	-	-	Y	es
TECHNICAL FEATURES						
Power supply voltage		22÷2			36÷57\	/dc (PoE)
Minimum absorption (mA)	-	-	-	2	-	-
Maximum absorption (mA)	200	200	200	325	- 54.04	-
Stand-by absorption (mA)	-	-	-	-		V 30mA
In-call absorption (mA) In-communication absorption (mA)	-	-	-	-		V 42mA V 46mA
Microphone	-	-	-	6mm omni-direction	54,94	V 40IIIA
Loudspeaker	-	-	-	36mm 400hm 1W	-	-
IP class	-	-		0	-	
Operating temperature (°C)	-5÷40					
Video encoding	PAL / NTSC			H.264		
Weight (kg)		0,65		0,533	0,65	0,54
Terminals	L L CFP1 CFP2	L L CFP1 CFP2	L L CFP1 CFP2	L L CFP1 CFP2	-IN1 IN2 IN3	-IN1 IN2 IN3
Network connection	-	-	-	-		J45

ACCESSORIES FOR MINI AND MINI HANDSFREE - 2-WIRE



6712 - DESK BASE FOR MINI MONITOR

Desk base converts the MINI monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 145x190x120 mm.



6733W - ADDITIONAL BUTTONS KIT FOR WHITE MINI MONITOR

Accessory for transforming MINI monitors art 6700W-/BM and art. 6701W-/BM into versions with 8 buttons. Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



6711W - ADAPTER PLAQUE FOR MINI MONITOR. WHITE

Finishing accessory for mounting the MINI monitor when replacing Magis or Genius door entry monitors. Colour: white. Dimensions: 300x260x4 mm.



6719W - SUPPORT BRACKET FOR SBT MINI MONITOR WITH ROUTING FOR EXT. CABLES

Wall support bracket for Mini monitor allowing thru-routing of external cables. Dimensions: 164x149.60x19 mm.



6710 - SUPPORT BRACKET FOR SBT MINI MONITOR AND MINI HF WITH ROUTING FOR EXT. CABLES

Wall-mounting on residential series box backplate for Mini monitor, /BM versions with handset and handsfree featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal art. 1214/2C. Dimensions 145x100x4 mm.



6732 - DESK BASE FOR MINI HF MONITOR

Desk base converts the Mini Handsfree monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 140x190x140 mm.



6734W - ADDITIONAL BUTTONS KIT FOR WHITE MINI HF MONITOR

Accessory for transforming Mini Handsfree monitors art 6721W-/BM into versions with 8 buttons. Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



6713W - ADAPTER PLAQUE FOR MINI HF MONITOR. WHITE

Finishing accessory for mounting the Mini Handsfree monitor when replacing Magis or Genius door entry monitors. Colour: white.



6720 - SUPPORT BRACKET FOR SBT MINI HF MONITOR WITH ROUTING FOR EXT. CABLES

 $Wall \ support \ bracket \ for \ Mini \ Handsfree \ monitor \ allowing \ thr u-routing \ of \ external \ cables. \ Dimensions: \ 106.3x149.60x19 \ mm.$

ACCESSORIES FOR MINI AND MINI HANDSFREE - VIP



6712V - DESK BASE FOR VIP MINI MONITOR WITH HANDSET

Desk base converting the ViP system MINI monitor with handset into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a domestic series jack. Dimensions: 145x190x120 mm.



6735W - ADDITIONAL BUTTONS KIT FOR MINI VIP MONITOR

Accessory for transforming Mini ViP monitors art 6702W into versions with 7 buttons. Includes an 7-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



6732V - DESK BASE FOR MINI HF VIP MONITOR

Desk base converting the VIP system hands-free Mini monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 140x190x140 mm.



www.axpro.se



www.comelitgroup.com

